钠钾ATP酶抗体

Anti-Sodium Potassium ATPase antibody - Plasma Membrane Loading Control (RB9A37057944

货号: RB9A37057944

产品描述

中文名称
Anti-Sodium Potassium ATPase 抗体 - Plasma Membrane Loading Control

英文名称
Anti-Sodium Potassium ATPase antibody - Plasma Membrane Loading Control (RB9A37057944)

别名
Sodium/potassium-transporting ATPase subunit alpha-1 Na(+)/K(+) ATPase alpha-1 subunit Sodium pump subunit alpha-1 ATP1A1

靶点符号
ATP1A1

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human Chinese hamster

应用
WB IHC-P Flow Cyt (Intra) ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
This antibody recognizes an intracellular epitope of Sodium/potassium-transporting ATPase alpha-1 subunit.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Chinese hamster	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Chinese hamster	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chinese hamster	保证反应	-	-
Western blot	WB	Chinese hamster	已验证	1/100000	For unpurified, use 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/20 - 1/100	Follow an intracellular staining protocol. RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/500	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/50 - 1/100	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1/100000	For unpurified, use 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/50 - 1/100	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1/100000	For unpurified, use 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/50 - 1/100	Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1/100000	For unpurified, use 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Tilapia	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Tilapia	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Tilapia	预测反应	-	-
Western blot	WB	Tilapia	预测反应	-	-

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。