α 1钠钾ATP酶抗体

Anti-alpha 1 Sodium Potassium ATPase antibody - Plasma Membrane Loading Control [IgG1]

货号: RB9A37058130

产品描述

中文名称
Anti-alpha 1 Sodium Potassium ATPase 抗体

英文名称
Anti-alpha 1 Sodium Potassium ATPase antibody - Plasma Membrane Loading Control [IgG1]

别名
Sodium/potassium-transporting ATPase subunit alpha-1 Na(+)/K(+) ATPase alpha-1 subunit Sodium pump subunit alpha-1 ATP1A1

靶点符号
ATP1A1

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
kappa

不含载体蛋白
No

反应种属
Mouse Rat Rabbit Human Pig

应用
IHC-P WB ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1-10 µg/mL	We recommend Methanol fixation and Goat Anti-Mouse IgG H&L (Alexa Fluor ® 555) preadsorbed (RB9A37060862) secondary antibody.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	5 µg/mL	-
Western blot	WB	Human	已验证	1-5 µg/mL	Abcam recommends using 5% BSA as the blocking agent.
Immunocytochemistry/ Immunofluorescence	ICCIF	Monkey	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Monkey	预测反应	-	-
Western blot	WB	Monkey	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	1-5 µg/mL	Abcam recommends using 5% BSA as the blocking agent.
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	保证反应	-	-
Western blot	WB	Pig	已验证	1-5 µg/mL	Abcam recommends using 5% BSA as the blocking agent.
Immunocytochemistry/ Immunofluorescence	ICCIF	Rabbit	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	保证反应	-	-
Western blot	WB	Rabbit	已验证	1-5 µg/mL	Abcam recommends using 5% BSA as the blocking agent.
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Rat	已验证	1-5 µg/mL	Abcam recommends using 5% BSA as the blocking agent.
Immunocytochemistry/ Immunofluorescence	ICCIF	Sheep	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Sheep	预测反应	-	-
Western blot	WB	Sheep	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Xenopus laevis	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Xenopus laevis	预测反应	-	-
Western blot	WB	Xenopus laevis	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification

存储溶液
pH: 7.4 Preservative: 0.02% Sodium azide Constituents: PBS, 6.97% L-Arginine

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。