转铁蛋白抗体

Anti-Transferrin antibody - Serum Loading Control [Mouse]

货号：RB9A37058153

产品描述

中文名称
Anti-Transferrin 抗体（RB9A37058153）

英文名称
Anti-Transferrin antibody - Serum Loading Control [Mouse]

别名
PRO1400 TF Serotransferrin Transferrin Beta-1 metal-binding globulin Siderophilin

靶点符号
TF

产品类型
一抗

关键信息

宿主种属
Mouse

克隆
Monoclonal

亚型
IgG1

轻链类型
unknown

不含载体蛋白
No

反应种属
Human

应用
WB ELISA ICC RIA sELISA IP FuncS IHC-P

免疫原
Native Full Length Protein corresponding to Pig TF.; P09571

特异性
This antibody recognizes an epitope located in the N-terminal domain of human transferrin.

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
ELISA	ELISA	Carp	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Functional Studies	FuncS	Carp	不推荐	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Carp	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Carp	不推荐	-	10 μg/mL
Immunoprecipitation	IP	Carp	不推荐	-	-
Radioimmunoassay	RIA	Carp	不推荐	-	-
Western blot	WB	Carp	不推荐	Works best under non reducing conditions.	-
Sandwich ELISA	sELISA	Carp	不推荐	For sandwich ELISA, use this antibody as Capture at 1μg/ml with as Detection.	1 μg/mL
ELISA	ELISA	Cow	不推荐	-	-
Functional Studies	FuncS	Cow	不推荐	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Cow	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	不推荐	-	10 μg/mL
Immunoprecipitation	IP	Cow	不推荐	-	-
Radioimmunoassay	RIA	Cow	不推荐	-	-
Western blot	WB	Cow	不推荐	Works best under non reducing conditions.	-
Sandwich ELISA	sELISA	Cow	不推荐	For sandwich ELISA, use this antibody as Capture at 1μg/ml with as Detection.	1 μg/mL
ELISA	ELISA	Dog	不推荐	-	-
Functional Studies	FuncS	Dog	不推荐	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Dog	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	不推荐	-	10 μg/mL
Immunoprecipitation	IP	Dog	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Radioimmunoassay	RIA	Dog	不推荐	-	-
Western blot	WB	Dog	不推荐	Works best under non reducing conditions.	-
Sandwich ELISA	sELISA	Dog	不推荐	For sandwich ELISA, use this antibody as Capture at 1μg/ml with as Detection.	1 μg/mL
ELISA	ELISA	Horse	不推荐	-	-
Functional Studies	FuncS	Horse	不推荐	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Horse	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	不推荐	-	10 μg/mL
Immunoprecipitation	IP	Horse	不推荐	-	-
Radioimmunoassay	RIA	Horse	不推荐	-	-
Western blot	WB	Horse	不推荐	Works best under non reducing conditions.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Sandwich ELISA	sELISA	Horse	不推荐	For sandwich ELISA, use this antibody as Capture at 1μg/ml with as Detection.	1 μg/mL
ELISA	ELISA	Human	保证反应	-	-
Functional Studies	FuncS	Human	保证反应	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Human	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	-	10 μg/mL
Immunoprecipitation	IP	Human	保证反应	-	-
Radioimmunoassay	RIA	Human	保证反应	-	-
Western blot	WB	Human	已验证	Works best under non reducing conditions.	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Sandwich ELISA	sELISA	Human	已验证	For sandwich ELISA, use this antibody as Capture at 1μg/ml with as Detection.	1 μg/mL
ELISA	ELISA	Pig	不推荐	-	-
Functional Studies	FuncS	Pig	不推荐	-	-
Immunocytochemistry	ICC	Pig	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	不推荐	-	-
Immunoprecipitation	IP	Pig	不推荐	-	-
Radioimmunoassay	RIA	Pig	不推荐	-	-
Western blot	WB	Pig	不推荐	-	-
Sandwich ELISA	sELISA	Pig	不推荐	-	-
ELISA	ELISA	Rabbit	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Functional Studies	FuncS	Rabbit	不推荐	-	-
Immunocytochemistry	ICC	Rabbit	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	不推荐	-	-
Immunoprecipitation	IP	Rabbit	不推荐	-	-
Radioimmunoassay	RIA	Rabbit	不推荐	-	-
Western blot	WB	Rabbit	不推荐	-	-
Sandwich ELISA	sELISA	Rabbit	不推荐	-	-
ELISA	ELISA	Sheep	不推荐	-	-
Functional Studies	FuncS	Sheep	不推荐	Effectively blocks the transferrin-transferrin receptor interactions.	-
Immunocytochemistry	ICC	Sheep	不推荐	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Sheep	不推荐	-	10 µg/mL
Immunoprecipitation	IP	Sheep	不推荐	-	-
Radioimmunoassay	RIA	Sheep	不推荐	-	-
Western blot	WB	Sheep	不推荐	Works best under non reducing conditions.	-
Sandwich ELISA	sELISA	Sheep	不推荐	For sandwich ELISA, use this antibody as Capture at 1 µg/ml with as Detection.	1 µg/mL

储存与纯化

形式
Liquid

纯化工艺
Proprietary technique

纯化说明
Purified from ascites by sequential precipitation methods. Purity >95% by SDS-PAGE.

存储溶液
pH: 7.4 Preservative: 0.097% Sodium azide Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。