抗GATAD2B抗体

Anti-GATAD2B antibody (RB9A37058163

货号：RB9A37058163

产品描述

中文名称
Anti-GATAD2B抗体（RB9A37058163）

英文名称
Anti-GATAD2B antibody (RB9A37058163)

别名
KIAA1150 GATAD2B Transcriptional repressor p66-beta GATA zinc finger domain-containing protein 2B p66/p68

靶点符号
GATAD2B

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
WB IHC-P IP

免疫原
Synthetic Peptide within Human GATAD2B aa 50-100. The exact immunogen used to generate this antibody is proprietary information.; Q8WXI9

浓度
0.2 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Immunoprecipitation	IP	Chimpanzee	预测反应	-	-
Western blot	WB	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chinese hamster	预测反应	-	-
Immunoprecipitation	IP	Chinese hamster	预测反应	-	-
Western blot	WB	Chinese hamster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Immunoprecipitation	IP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunoprecipitation	IP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunoprecipitation	IP	Gorilla	预测反应	-	-
Western blot	WB	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Guinea pig	预测反应	-	-
Immunoprecipitation	IP	Guinea pig	预测反应	-	-
Western blot	WB	Guinea pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	已验证	2-5 µg/mg of lysate	-
Western blot	WB	Human	已验证	1/2000 - 1/10000	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100 - 1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Immunoprecipitation	IP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	预测反应	-	-
Immunoprecipitation	IP	Rabbit	预测反应	-	-
Western blot	WB	Rabbit	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunoprecipitation	IP	Rat	预测反应	-	-
Western blot	WB	Rat	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	预测反应	-	-
Immunoprecipitation	IP	Rhesus monkey	预测反应	-	-
Western blot	WB	Rhesus monkey	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
RB9A37058163 was affinity purified using an epitope specific to GATAD2B immobilized on solid support.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。