胰多肽抗体

Anti-Pancreatic Polypeptide antibody [Goat]

货号：RB9A37058208

产品描述

中文名称
Anti-Pancreatic Polypeptide抗体（RB9A37058208）

英文名称
Anti-Pancreatic Polypeptide antibody [Goat]

别名
PNP PPY Pancreatic polypeptide prohormone PH Pancreatic polypeptide Y

靶点符号
PPY

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
ICC/IF Flow Cyt (Intra) WB ELISA IHC-P

免疫原
Synthetic Peptide within Human PPY aa 50-100. The exact immunogen used to generate this antibody is proprietary information.; P01298

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	备注	推荐稀释
ELISA	ELISA	Chimpanzee	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Chimpanzee	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Western blot	WB	Chimpanzee	预测反应	-	-
ELISA	ELISA	Dog	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Dog	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
ELISA	ELISA	Human	保证反应	Antibody detection limit dilution 1:32,000 by peptide ELISA.	-
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	-	10 µg/mL
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	保证反应	See Abreview.	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	In paraffin embedded human pancreas, shows strong cytoplasmic staining of rare cells located at the periphery of islets of Langerhans.	3-5 µg/mL

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Human	保证反应	Preliminary experiments gave an approx 35-38 kDa band in human pancreas lysate, which was successfully blocked by incubation with the immunizing peptide. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 10.5 kDa.	-
ELISA	ELISA	Macaque monkey	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Macaque monkey	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Macaque monkey	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Macaque monkey	预测反应	-	-
Western blot	WB	Macaque monkey	预测反应	-	-
ELISA	ELISA	Mouse	保证反应	Antibody detection limit dilution 1:32,000 by peptide ELISA.	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	See Abreview.	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Western blot	WB	Mouse	保证反应	Preliminary experiments gave an approx 35-38 kDa band in human pancreas lysate, which was successfully blocked by incubation with the immunizing peptide. Please note that currently we cannot find an explanation in the literature for the band we observe given the calculated size of 10.5 kDa.	-
ELISA	ELISA	Rat	预测反应	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	预测反应	-	-

应用	应用代码	物种	验证状态	备注	推荐稀释
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-
Western blot	WB	Rat	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液
pH: 7.3 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。