神经元特异性烯醇化酶抗体

Anti-ENO1 + ENO2 + ENO3 antibody - Neuronal Marker

货号：RB9A37058449

产品描述

中文名称
Anti-ENO1 + ENO2 + ENO3 抗体 - Neuronal Marker

英文名称
Anti-ENO1 + ENO2 + ENO3 antibody - Neuronal Marker

别名
Gamma-enolase 2-phospho-D-glycerate hydro-lyase Enolase 2 Neural enolase Neuron-specific enolase NSE ENO2 ENO1L1 MBPB1 MPB1 ENO1 Alpha-enolase 2-phospho-D-glycerate hydro-lyase C-myc promoter-binding protein Enolase 1 MBP-1 MPB-1 Non-neural enolase Phosphopyruvate hydratase Plasminogen-binding protein

靶点符号
ENO2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
IHC-P WB Flow Cyt (Intra) ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

特异性
The cross-reactivity with ENO2 is weaker than that with ENO1 and ENO3.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/20 - 1/100	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/50	For unpurified use at 1/100 - 1/250.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1/1000	For unpurified use at 1/5000 - 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1/1000	For unpurified use at 1/5000 - 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/500	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1/1000	For unpurified use at 1/5000 - 1/20000.
Flow Cytometry (Intracellular)	FlowCytIntra	Recombinant fragment - Human	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Recombinant fragment - Human	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Recombinant fragment - Human	不推荐	-	-
Western blot	WB	Recombinant fragment - Human	已验证	1/1000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。