抗高迁移率族蛋白B1抗体

Anti-HMGB1 antibody [Rabbit]

货号：RB9A37058454

产品描述

中文名称
Anti-HMGB1 抗体（RB9A37058454）

英文名称
Anti-HMGB1 antibody [Rabbit]

别名
HMG1 HMGB1 High mobility group protein B1 High mobility group protein 1 HMG-1

靶点符号
HMGB1

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Rat Human Mouse

应用
Flow Cyt (Intra) IHC-P WB ICC/IF

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Flow Cytometry (Intracellular)	FlowCytIntra	Human	已验证	1/30	RB9A37007757 - Rabbit monoclonal IgG, is suitable for use as an isotype control with this antibody.
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/250	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/350 - 1/400	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	不推荐	-	-
Western blot	WB	Human	已验证	1/10000 - 1/50000	-
Flow Cytometry (Intracellular)	FlowCytIntra	Mouse	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/350	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	不推荐	-	-
Western blot	WB	Mouse	已验证	-	-
Flow Cytometry (Intracellular)	FlowCytIntra	Rat	保证反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/350	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunoprecipitation	IP	Rat	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Western blot	WB	Rat	已验证	1/10000 - 1/50000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液
pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

推荐的短期储存时间
1-2 weeks

储存信息
Stable for 12 months at -20° C

本产品仅供科研使用，不用于临床诊断。