抗富含脯氨酸酪氨酸激酶2抗体

Anti-PYK2 antibody (RB9A37058568

货号：RB9A37058568

产品描述

中文名称

Anti-PYK2抗体（RB9A37058568）

英文名称

Anti-PYK2 antibody (RB9A37058568)

别名

FAK2 PYK2 RAFTK PTK2B Protein-tyrosine kinase 2-beta Calcium-dependent tyrosine kinase Calcium-regulated non-receptor proline-rich tyrosine kinase Cell adhesion kinase beta Focal adhesion kinase 2 Proline-rich tyrosine kinase 2 Related adhesion focal tyrosine kinase CADTK CAK-beta CAKB FADK 2

靶点符号

PTK2B

产品类型

一抗

关键信息

宿主种属

Rabbit

克隆

Monoclonal

亚型

IgG

不含载体蛋白

No

反应种属

Rat Human Mouse

应用

IHC-P WB

免疫原

The exact immunogen used to generate this antibody is proprietary information.

浓度

0.373 μg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	不推荐	1/1000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	1/2500 - 1/5000	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/1000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Mouse	已验证	1/2500 - 1/5000	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	已验证	1/1000	Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Western blot	WB	Rat	已验证	1/2500 - 1/5000	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.01% Sodium azide Constituents: PBS, 40% Glycerol (glycerin, glycerine), 0.05% BSA

储存信息

Stable for 12 months at -20° C

本产品仅供科研使用，不用于临床诊断。