抗TPR抗体

Anti-TPR antibody [Rabbit]

货号：RB9A37058834

产品描述

中文名称
Anti-TPR 抗体

英文名称
Anti-TPR antibody [Rabbit]

别名
Nucleoprotein TPR Megator NPC-associated intranuclear protein Translocated promoter region protein TPR

靶点符号
Nucleoprotein

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
ICC/IF IHC-P

免疫原
Synthetic Peptide within Human Nucleoprotein TPR aa 2300 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; P12270

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Chinese hamster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chinese hamster	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunocytochemistry/ Immunofluorescence	ICCIF	Elephant	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Elephant	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/100 - 1/500	Permeabilization with Triton-X 100 is recommended.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/500	Epitope exposure is recommended. Exposure with citrate buffer will enhance staining. Likely to work with frozen sections.
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100 - 1/500	Epitope exposure is recommended. Exposure with citrate buffer will enhance staining. Likely to work with frozen sections.
Immunocytochemistry/ Immunofluorescence	ICCIF	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rabbit	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	预测反应	-	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Rhesus monkey	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	预测反应	-	-

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Immunogen

纯化说明

Affinity purified using an epitope specific to TPR immobilized on solid support.

存储溶液

pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。