抗ERF抗体

Anti-ERF antibody (RB9A37058856

货号：RB9A37058856

产品描述

中文名称
Anti-ERF抗体

英文名称
Anti-ERF antibody (RB9A37058856)

别名
ETS domain-containing transcription factor ERF Ets2 repressor factor PE-2 ERF

靶点符号
ETS

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
IHC-P

免疫原
Synthetic Peptide within Human ETS domain-containing transcription factor ERF aa 450 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; P50548

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chimpanzee	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Elephant	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/500	Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/100 - 1/500	Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Orangutan	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	预测反应	-	-

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
RB9A37058856 was affinity purified using an epitope specific to ERF immobilized on solid support. Antibody concentration was determined by extinction coefficient: absorbance at 280 nm of 1.4 equals 1.0 mg of IgG.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。