抗人单链DNA结合蛋白1抗体

Anti-hSSB1 antibody

货号：RB9A37058936

产品描述

中文名称
Anti-hSSB1抗体

英文名称
Anti-hSSB1 antibody

别名
OBFC2B SSB1 LP3587 NABP2 SOSS complex subunit B1 Nucleic acid-binding protein 2 Oligonucleotide/oligosaccharide-binding fold-containing protein 2B Sensor of single-strand DNA complex subunit B1 Sensor of ssDNA subunit B1 Single-stranded DNA-binding protein 1 SOSS-B1 hSSB1

靶点符号
NABP2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Human

应用
WB IHC-P IP

免疫原
Synthetic Peptide within Human NABP2 aa 150-250. The exact immunogen used to generate this antibody is proprietary information.; Q9BQ15

浓度
1 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Chinese hamster	预测反应	-	-
Immunoprecipitation	IP	Chinese hamster	预测反应	-	-
Western blot	WB	Chinese hamster	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Immunoprecipitation	IP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Immunoprecipitation	IP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Elephant	预测反应	-	-
Immunoprecipitation	IP	Elephant	预测反应	-	-
Western blot	WB	Elephant	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Gorilla	预测反应	-	-
Immunoprecipitation	IP	Gorilla	预测反应	-	-
Western blot	WB	Gorilla	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Guinea pig	预测反应	-	-
Immunoprecipitation	IP	Guinea pig	预测反应	-	-
Western blot	WB	Guinea pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Horse	预测反应	-	-
Immunoprecipitation	IP	Horse	预测反应	-	-
Western blot	WB	Horse	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/1000 - 1/5000	Antigen retrieval with Tris-EDTA pH9.0 is recommended for human tissues. Antigen retrieval with citrate buffer pH6.0 is recommended for mouse tissues. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Human	已验证	2-5 µg/mg of lysate	-
Western blot	WB	Human	已验证	1/2000 - 1/10000	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	已验证	1/1000 - 1/5000	Antigen retrieval with Tris-EDTA pH9.0 is recommended for human tissues. Antigen retrieval with citrate buffer pH6.0 is recommended for mouse tissues. Perform heat-mediated antigen retrieval before commencing with IHC staining protocol.
Immunoprecipitation	IP	Mouse	保证反应	-	-
Western blot	WB	Mouse	保证反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Orangutan	预测反应	-	-
Immunoprecipitation	IP	Orangutan	预测反应	-	-
Western blot	WB	Orangutan	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	预测反应	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunoprecipitation	IP	Pig	预测反应	-	-
Western blot	WB	Pig	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rabbit	预测反应	-	-
Immunoprecipitation	IP	Rabbit	预测反应	-	-
Western blot	WB	Rabbit	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-	-
Immunoprecipitation	IP	Rat	预测反应	-	-
Western blot	WB	Rat	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rhesus monkey	预测反应	-	-
Immunoprecipitation	IP	Rhesus monkey	预测反应	-	-
Western blot	WB	Rhesus monkey	预测反应	-	-

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Immunogen

存储溶液

pH: 7 - 8 Preservative: 0.09% Sodium azide
Constituents: Tris citrate/phosphate

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。