# 抗Cdc20抗体

Anti-Cdc20 antibody (RB9A37059004

货号：RB9A37059004

## 产品描述

中文名称
Anti-Cdc20抗体 (RB9A37059004)

英文名称
Anti-Cdc20 antibody (RB9A37059004)

别名
Cell division cycle protein 20 homologp55CDCCDC20

靶点符号
Cell

产品类型
一抗

## 关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseHuman

应用
IHC-P

免疫原
Synthetic Peptide within Human Cell division cycle protein 20 homolog aa 50-100. The exact immunogen used to generate this antibody is proprietary information.; Q12834

## 反应性数据

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Chimpanzee | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Chinese hamster | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Dog | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Gorilla | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Guinea pig | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Horse | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Human | 已验证 | 1/100 - 1/500 | Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining. |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Mouse | 已验证 | 1/100 - 1/500 | Epitope exposure is recommended. Epitope exposure with citrate buffer will enhance staining. |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Orangutan | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Pig | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rhesus monkey | 预测反应 | - | - |

## 储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: Tris buffered saline, 0.1% BSA

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。