抗琥珀酸辅酶A连接酶GDP形成β亚基抗体

Anti-SUCLG2 antibody [Rabbit]

货号：RB9A37060096

产品描述

中文名称
Anti-SUCLG2 抗体

英文名称
Anti-SUCLG2 antibody [Rabbit]

别名
GTP-specific succinyl-CoA synthetase subunit betaItaconyl--CoA ligase [GDP-forming] subunit betaMalyl--CoA ligase [GDP-forming] subunit betaSuccinyl-CoA synthetase beta-G chainG-SCSGTPSCSSCS-betaGSUCLG2

靶点符号
SUCLG2

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
MouseHuman

应用
WBICC/IFIHC-P

免疫原
Recombinant Fragment Protein within Human SUCLG2 aa 1-250. The exact immunogen used to generate this antibody is proprietary information.; Q96I99

反应性数据

应用	应用代码	物种	验证状态	推荐稀释
Immunocytochemistry/ Immunofluorescence	ICCIF	Cow	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-
Western blot	WB	Cow	预测反应	-
Immunocytochemistry/ Immunofluorescence	ICCIF	Human	已验证	1/100 - 1/1000
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100 - 1/1000
Western blot	WB	Human	已验证	1/1000 - 1/10000
Immunocytochemistry/ Immunofluorescence	ICCIF	Mouse	保证反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-
Western blot	WB	Mouse	已验证	1/1000 - 1/10000
Immunocytochemistry/ Immunofluorescence	ICCIF	Rat	预测反应	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	预测反应	-
Western blot	WB	Rat	预测反应	-

储存与纯化

形式	纯化工艺
Liquid	Affinity purification Immunogen

存储溶液	储存信息
pH: 7 Preservative: 0.01% Thimerosal (merthiolate) Constituents: 10% Glycerol (glycerin, glycerine), 1.21% Tris, 0.75% Glycine	Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。