抗CCL21抗体

Anti-CCL21 antibody [Rabbit]

货号：RB9A37060505

产品描述

中文名称
Anti-CCL21抗体（RB9A37060505）

英文名称
Anti-CCL21 antibody [Rabbit]

别名
SCYA21 UNQ784/PRO1600 CCL21 C-C motif chemokine 21 6Ckine Beta-chemokine exodus-2 Secondary lymphoid-tissue chemokine Small-inducible cytokine A21 SLC

靶点符号
CCL21

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Polyclonal

亚型
Unknown

轻链类型
unknown

不含载体蛋白
No

反应种属
Human

应用
sELISA IHC-P WB ELISA

免疫原
Recombinant Full Length Protein corresponding to Human CCL21.; O00585

反应性数据

应用	应用代码	物种	验证状态	备注
ELISA	ELISA	Human	保证反应	To detect human Exodus-2 by direct ELISA (using 100µl/well antibody solution) a concentration of at least 0.5µg/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with compatible secondary reagents, allows the detection of 0.2 - 0.4 ng/well of recombinant human Exodus-2.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	保证反应	-
Western blot	WB	Human	保证反应	To detect human Exodus-2 by Western Blot analysis this antibody can be used at a concentration of 0.1 - 0.2 µg/ml. Used in conjunction with compatible secondary reagents the detection limit for recombinant human Exodus-2 is 1.5 - 3.0 ng/lane, under either reducing or non-reducing conditions.
Sandwich ELISA	sELISA	Human	已验证	To detect CCL21-2 by sandwich ELISA (using 100 ul/well antibody solution) a concentration of 0.5 - 2.0 ug/ml of this antibody is required. This antigen affinity purified antibody, in conjunction with a suitable detection antibody, allows the detection of at least 0.2 - 0.4 ng/well of recombinant CCL21.

储存与纯化

形式

Lyophilized

纯化工艺

Affinity purification Immunogen

推荐的短期储存时间

1-2 weeks

复溶

Reconstitute with 200µl of sterile water. Please note that if you receive this product in liquid form it has already been reconstituted as described and no further reconstitution is necessary.

本产品仅供科研使用，不用于临床诊断。