神经颗粒素抗体

Anti-Neurogranin antibody [Goat]

货号：RB9A37060531

产品描述

中文名称
Anti-Neurogranin抗体

英文名称
Anti-Neurogranin antibody [Goat]

别名
Neurogranin Ng RC3 NRGN

靶点符号
NRGN

产品类型
一抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Mouse Rat Human

应用
IHC-P WB

免疫原
Synthetic Peptide within Human NRGN aa 1 to C-terminus. The exact immunogen used to generate this antibody is proprietary information.; Q92686

浓度
0.5 mg/mL

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	预测反应	-	-
Western blot	WB	Cow	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	预测反应	-	-
Western blot	WB	Dog	预测反应	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	4-6 µg/mL	Perform heat-mediated antigen retrieval with citrate buffer pH 6 before commencing with IHC staining protocol.
Western blot	WB	Human	已验证	0.1-0.3 µg/mL	A 1 hour primary incubation is recommended for this product. An approximately 15 kDa band is observed in Human Brain (Cerebral Cortex and Hippocampus), and in Mouse Brain and Rat Brain lysates. There is also an additional 16kDa band. The observed molecular weights correspond to earlier findings in the literature with different antibodies.

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	保证反应	-	-
Western blot	WB	Mouse	已验证	0.1-0.3 µg/mL	A 1 hour primary incubation is recommended for this product. An approximately 15 kDa band is observed in Human Brain (Cerebral Cortex and Hippocampus), and in Mouse Brain and Rat Brain lysates. There is also an additional 16kDa band. The observed molecular weights correspond to earlier findings in the literature with different antibodies.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	保证反应	-	-
Western blot	WB	Rat	已验证	0.1-0.3 µg/mL	A 1 hour primary incubation is recommended for this product. An approximately 15 kDa band is observed in Human Brain (Cerebral Cortex and Hippocampus), and in Mouse Brain and Rat Brain lysates. There is also an additional 16kDa band. The observed molecular weights correspond to earlier findings in the literature with different antibodies.

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Immunogen

纯化说明

RB9A37060531 was purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液

pH: 7.3 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA

储存信息

Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。