# 抗TGFBI抗体

Anti-TGFBI antibody [Goat]

货号：RB9A37060587

## 产品描述

中文名称
Anti-TGFBI抗体

英文名称
Anti-TGFBI antibody [Goat]

别名
BIGH3 TGFBI Transforming growth factor-beta-induced protein ig-h3 Beta ig-h3 Kerato-epithelin RGD-containing collagen-associated protein RGD-CAP

靶点符号
TGFBI

产品类型
一抗

## 关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
ICC/IF WB IHC-P

免疫原
Synthetic Peptide within Human TGFBI aa 100-150. The exact immunogen used to generate this antibody is proprietary information.; Q15582

浓度
0.5 mg/mL

## 反应性数据

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
|---|---|---|---|---|---|
| Immunocytochemistry/ Immunofluorescence | ICCIF | Cow | 预测反应 | - | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Cow | 预测反应 | - | - |
| Western blot | WB | Cow | 预测反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Dog | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Dog | 预测反应 | - | - |
| Western blot | WB | Dog | 预测反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Human | 已验证 | 10 μg/mL | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Human | 已验证 | - | - |
| Western blot | WB | Human | 已验证 | 0.1-0.3 μg/mL | A 1 hour primary incubation is recommended for this product. |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Mouse | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Mouse | 预测反应 | - | - |
| Western blot | WB | Mouse | 预测反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Pig | 预测反应 | - | - |

| 应用 | 应用代码 | 物种 | 验证状态 | 推荐稀释 | 备注 |
| --- | --- | --- | --- | --- | --- |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Pig | 预测反应 | - | - |
| Western blot | WB | Pig | 预测反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Rabbit | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rabbit | 预测反应 | - | - |
| Western blot | WB | Rabbit | 预测反应 | - | - |
| Immunocytochemistry/ Immunofluorescence | ICCIF | Rat | 预测反应 | - | - |
| Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections) | IHCP | Rat | 预测反应 | - | - |
| Western blot | WB | Rat | 预测反应 | - | - |

## 储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Purified from goat serum by ammonium sulphate precipitation followed by antigen affinity chromatography using the immunizing peptide.

存储溶液
pH: 7.3 Preservative: 0.02% Sodium azide Constituents: Tris buffered saline, 0.5% BSA

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。