抗FOXP3抗体

Anti-FOXP3 antibody (RB9A37060612

货号：RB9A37060612

产品描述

中文名称
Anti-FOXP3 抗体（RB9A37060612）

英文名称
Anti-FOXP3 antibody (RB9A37060612)

别名
IPEX JM2 FOXP3 Forkhead box protein P3 Scurfin

靶点符号
FOXP3

产品类型
一抗

关键信息

宿主种属
Rabbit

克隆
Monoclonal

亚型
IgG

不含载体蛋白
No

反应种属
Human

应用
IHC-P

免疫原
The exact immunogen used to generate this antibody is proprietary information.

反应性数据

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Cow	不推荐	-	-

应用	应用代码	物种	验证状态	推荐稀释	备注
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Dog	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Human	已验证	1/100	Boil tissue section in 10mM Citrate, pH 6.0 for 10 min followed by cooling at RT for 20 min. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Mouse	不推荐	1/100	Boil tissue section in 10mM Citrate, pH 6.0 for 10 min followed by cooling at RT for 20 min. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Pig	不推荐	-	-
Immunohistochemistry (Formalin/PFA-fixed paraffin-embedded sections)	IHCP	Rat	不推荐	1/100	Boil tissue section in 10mM Citrate, pH 6.0 for 10 min followed by cooling at RT for 20 min. Perform heat-mediated antigen retrieval with Tris/EDTA buffer pH 9.0 before commencing with IHC staining protocol.

储存与纯化

形式

Liquid

纯化工艺

Affinity purification Protein A

存储溶液

pH: 7.2 - 7.4 Preservative: 0.1% Sodium azide Constituents: PBS, 1% BSA

储存信息

Do Not Freeze

本产品仅供科研使用，不用于临床诊断。