山羊抗兔 IgG H&L

Goat Anti-Rabbit IgG H&L (DyLight® 650

货号：RB9A37061525

产品描述

中文名称
山羊抗兔IgG H&L (DyLight® 650)预吸附二抗

英文名称
Goat Anti-Rabbit IgG H&L (DyLight® 650) preadsorbed

别名
Ig gamma 1 chain C regionIg gamma 3 chain C regionIg gamma 4 chain C regionIg gamma chain C regionIg gamma-2 chain C regionIg kappa-b4 chain C regionIg kappa-b5 chain C regionIg kappa-b9 chain C regionIg lambda chain C regionImmunoglobin heavy constant gamma 1Immunoglobulin GK-BAS

靶点符号
Rabbit

产品类型
二抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

偶联物
DyLight® 650

激发波长/发射波长
Ex: 654nm, Em: 673nm

反应种属
Rabbit

应用
IHC-PICC/IFFlow Cyt

靶标种属
Rabbit

靶标亚型 IgG	靶标特异性 Heavy & Light chains
预吸附 Yes	最低交叉反应 Mouse, Rat, Goat, Horse, Chicken, Cow, Human, Pig
特异性 By immunoelectrophoresis and ELISA this antibody reacts specifically with Rabbit IgG and with light chains common to other Rabbit immunoglobulins. No antibody was detected against non immunoglobulin serum proteins. Reduced cross-reactivity to bovine, chicken, goat, horse, human, mouse, pig and rat IgG was detected.	浓度 0.5 mg/mL

反应性数据

应用	验证状态	推荐稀释	备注
Flow Cyt	已验证	1/50 - 1/200	-
ICC/IF	已验证	1/50 - 1/500	-
IHC-P	已验证	1/50 - 1/500	DyLight ® 650 replaces DyLight ® 649. The DyLight ® 650 excitation is 652nm and the emission is 672nm. DyLight ® 650 hence provides the same far-red fluorescence and photostability as the DyLight ® 649 dye. Please refer to the vial in order to check whether the product you received is DyLight ® 649 or DyLight ® 650. This information however will have no impact on your experiments.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
Antiserum was cross absorbed using bovine, chicken, horse, human, mouse, pig and rat immunosorbents to remove cross reactive antibodies. This antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to DyLight® 650.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: PBS, 0.2% BSA

本产品仅供科研使用，不用于临床诊断。