Goat F

ab’

货号：RB9A37061774

产品描述

中文名称
Goat F(ab’)2 Anti-Human IgG Fc

英文名称
Goat F(ab’)2 Anti-Human IgG Fc

别名
Immunoglobulin heavy constant gamma 1Ig gamma-1 chain C regionIg gamma-1 chain C region EUIg gamma-1 chain C region KOLIg gamma-1 chain C region NIEIGHG1Immunoglobulin heavy constant gamma 4Ig gamma-4 chain C regionIGHG4Immunoglobulin heavy constant gamma 3HDCHeavy chain disease proteinIg gamma-3 chain C regionIGHG3Immunoglobulin heavy constant gamma 2Ig gamma-2 chain C regionIg gamma-2 chain C region DOTIg gamma-2 chain C region TILIg gamma-2 chain C region ZIEIGHG2

靶点符号
IGHG1

产品类型
二抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

反应种属
Human

应用
ELISAWBICCIHC-P

靶标种属
Human

靶标亚型
IgG

靶标特异性
Fc region

预吸附
No

浓度
0.5 mg/mL

反应性数据

应用	验证状态	推荐稀释	备注
ELISA	已验证	1/100 - 1/30000	Coating: Use 1/100-1/500 dilution; Primary: Use 1/1,000-1/30,000 dilution.
ICC	已验证	-	-
IHC-P	已验证	1/200 - 1/2000	-
WB	已验证	1/1000 - 1/30000	Colorimetric: Use 1/1,000-1/10,000 dilution; Chemiluminescent: Use 1/1,000-1/30,000 dilution.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
This antibody was isolated by affinity chromatography using antigen coupled to agarose beads. F(ab')2 fragment were generated using a pepsin digestion. Fc fragments and whole IgG molecules have been removed.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: PBS

推荐的短期储存时间
1-2 weeks

储存信息
Avoid freeze / thaw cycle

本产品仅供科研使用，不用于临床诊断。