山羊抗人 IgA alpha chain

Goat Anti-Human IgA alpha chain (DyLight® 550

货号：RB9A37061791

产品描述

中文名称
山羊抗人IgA alpha chain (DyLight® 550) 预吸附二抗

英文名称
Goat Anti-Human IgA alpha chain (DyLight® 550) preadsorbed

别名
Immunoglobulin heavy constant alpha 1Ig alpha-1 chain C regionIg alpha-1 chain C region BURIg alpha-1 chain C region TROIGHA1Immunoglobulin heavy constant alpha 2Ig alpha-2 chain C regionIg alpha-2 chain C region BUTIg alpha-2 chain C region LANIGHA2

靶点符号
IGHA1

产品类型
二抗

关键信息

宿主种属
Goat

克隆
Polyclonal

亚型
IgG

偶联物
DyLight® 550

激发波长/发射波长
Ex: 562nm, Em: 576nm

反应种属
Human

应用
IHC-PFlow CytICC/IF

靶标种属
Human

靶标亚型
IgA

靶标特异性
Alpha chain

预吸附
Yes

最低交叉反应
Mouse, Rat,

浓度
0.5 mg/mL

反应性数据

应用	验证状态	推荐稀释	备注
Flow Cyt	已验证	1/50 - 1/200	-
ICC/IF	已验证	1/50 - 1/500	-
IHC-P	已验证	1/50 - 1/500	DyLight ® 550 replaces DyLight ® 549. The DyLight ® 550 excitation is 562nm and the emission is 576nm. DyLight ® 550 provides the same orange-to-red fluorescence and photostability as the DyLight ® 549 dye. Please refer to the vial in order to check whether the product you received is DyLight ® 549 or DyLight ® 550. This information however will have no impact on your experiments.

储存与纯化

形式
Liquid

纯化工艺
Affinity purification Immunogen

纯化说明
This antibody was isolated by affinity chromatography using antigen coupled to agarose beads and conjugated to DyLight® 550.

存储溶液
pH: 6.8 - 7.4 Preservative: 0.09% Sodium azide Constituents: PBS, 0.2% BSA

本产品仅供科研使用，不用于临床诊断。