Eftilagimod Alfa（研究用级别）

Research Grade Eftilagimod Alfa

货号：RB9T37016259

在您使用本产品前请认真阅读说明书，这对您顺利完成实验很有帮助。

产品编码 RB9T37016259	中文名称 Eftilagimod Alfa（研究用级别）
英文名称 Research Grade Eftilagimod Alfa	
形态 Liquid	纯度 >95% purity as determined by SDS-PAGE.
内毒素水平 Please contact the lab for this information.	
应用 ELISA, Functional assay, Research in vivo	
表达系统 Mammalian Cells	克隆性 Monoclonal
抗体亚型 Fusion - [LAG3 (lymphocyte activating 3, lymphocyt	纯化方式 Protein A/G purified from cell culture supernatant.
浓度 1mg/ml	种属反应性 Human

靶标

MHC II

背景信息

Adenosine 3', 5'-cyclic monophosphate (cAMP) is a key second messenger molecule in intracellular signal transduction. Monitoring cAMP levels is one of the most common ways to screen for agonists and antagonists of G protein-coupled receptors(GPCRs). Bioyeargene cAMP ELISA Kit is based on the competition between HRP-labeled cAMP and free cAMP for fixed amounts of mouse monoclonal anti-cAMP antibody(cAMP MAb) binding sites. Because the concentration of the HRP-labeled cAMP is held constant while the concentration of cAMP varies, the amount of HRP-labeled cAMP that is able to bind to the cAMP MAb will be inversely proportional to the concentration of cAMP in the well. This antigen-antibody complex binds to the goat anti-mouse IgG that has been previously attached to the well. The plate is washed to remove any unbound reagents and then developed. The ELISA typically displays an IC50(50% B/B0) of approximately 12 pmol/mL and a detection limit of approximately 0.15 pmol/mL.

• Sphingosine 1-phosphate: Lipid signaling in pathology and therapy., PMID:31624181

• Sphingosine-1-phosphate (S1P) in ovarian physiology and disease., PMID:31455516

• Sphingosine-1-phosphate (S1P) receptors: Promising drug targets for treating bone-related diseases., PMID:32155312

• Pancreatic Acinar Cells-Derived Sphingosine-1-Phosphate Contributes to Fibrosis of Chronic Pancreatitis via Inducing Autophagy and Activation of Pancreatic Stellate Cells., PMID:37634735

• Significance of sphingosine-1-phosphate in cardiovascular physiology and pathology., PMID:32278039

• Sphingosine 1-Phosphate (S1P)/ S1P Receptor Signaling and Mechanotransduction: Implications for Intrinsic Tissue Repair/Regeneration., PMID:31703256

• Sphingosine 1-phosphate (S1P) receptor modulators as an induction and maintenance therapy for ulcerative colitis: a systematic review and meta-analysis of randomized controlled trials., PMID:38153524

• S1P (Sphingosine-1-Phosphate)-Induced Vasodilation in Human Resistance Arterioles During Health and Disease., PMID:36070401

• Sphingosine 1-phosphate (S1P) signalling: Role in bone biology and potential therapeutic target for bone repair., PMID:28855094

• Sphingosine 1-phosphate signalling., PMID:24346695

别名

IMP-321, IMP321, LAG-3Ig, LAG3-Ig, hLAG-3-Ig, hLAG-3Ig, sLAG-3-Ig, CAS: 1800476-36-1

储存缓冲液

0.01M PBS, pH 7.4.

稳定性和储存

Use a manual defrost freezer and avoid repeated freeze-thaw cycles. Store at 4° C for short-term storage (1-2 weeks). Store at -20° C for up to 12 months. For long-term storage, store at -80° C.

For research use only. Not suitable for clinical or therapeutic use.